

# EAST SEARCH

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	9811	standard\$ adj (connection interface)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/15 08:37
S2	78	standard\$ adj (connection interface) with socket	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/15 08:48
S3	4591	slot adj "1"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/15 08:37
S4	504	(slot adj "1") and intel	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/15 08:37
S5	394	(slot adj "1") and intel and network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/15 08:38
S6	49	(slot adj "1") same network and intel	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/15 08:45
S7	1524	(socket adj "7")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/15 08:39
S8	2	(socket adj "7") same network and intel	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/15 08:39
S9	12	(slot adj "1") same network same standard and intel	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/15 08:46
S10	80	standard\$ adj (connection interface link) with socket	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/15 08:48
S11	3	standard\$ adj (connection interface link) with socket same board	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/15 08:49
S12	8	standard\$ adj (connection interface link) with socket same (board circuit)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/15 09:25

S13	43	Virtual adj Socket adj Interface adj Alliance	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/15 08:51
S14	56	(Virtual adj Socket adj Interface adj Alliance) or vsia	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/15 08:52
S15	17	((Virtual adj Socket adj Interface adj Alliance) or vsia) same standard	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/15 08:52
S16	42	((Virtual adj Socket adj Interface adj Alliance) or vsia) same standard\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/15 09:25
S17	1613	709/220.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/12 08:35
S18	843	709/221.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/15 09:21
S19	1	709/221.ccls. and (standard\$ adj (connection interface link) with socket)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/15 09:22
S20	0	709/220.ccls. and (standard\$ adj (connection interface link) with socket)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/15 09:21
S21	4	709/221.ccls. and (standard\$ adj (connection interface link) and socket)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/15 09:24
S22	10	709/221.ccls. and (standard\$ adj (connection interface link) and socket)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/15 09:24
S23	42	((Virtual adj Socket adj Interface adj Alliance) or vsia) same standard\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/15 09:25
S24	23	standard\$ adj (connection interface link) with socket same (board circuit)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/15 09:53

S25	461	program\$ adj logic\$ adj unit	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/15 09:54
S26	36	(program\$ adj logic\$ adj unit) with (configur\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/15 09:56
S27	0	(program\$ adj logic\$ adj unit) with (configur\$) same socket	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/15 09:54
S28	2	(program\$ adj logic\$ adj unit) with (configur\$) and socket	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/15 09:54
S29	213916	socket	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/15 10:01
S30	8241	socket same network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/15 10:01
S31	420	(configur\$ with socket) same network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/15 10:01
S32	6	(configur\$ with socket) same network same CPU same memory	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/15 10:30
S33	1	"4268908".PN.	USPAT; USOCR	OR	OFF	2005/03/15 10:16
S34	1	"5550782".PN.	USPAT; USOCR	OR	OFF	2005/03/15 10:16
S35	1	"5379382".PN.	USPAT; USOCR	OR	OFF	2005/03/15 10:16
S36	163	((reconfigur\$ re-configur\$) with socket)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/15 10:30
S37	24	((reconfigur\$ re-configur\$) with socket) same interfac\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/15 13:29
S38	17	((reconfigur\$ re-configur\$) with socket) same interfac\$ and ((plurality multiple several) with interfac\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/15 13:31

S39	0	((reconfigur\$ re-configur\$) with socket) same interfac\$ and ((plurality multiple several) adj interfac\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/15 13:31
S40	0	((reconfigur\$ re-configur\$) with socket) same interfac\$ and ((plurality multiple several) with interfaces!)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/15 13:32
S41	18	((reconfigur\$ re-configur\$) with socket) same interfac\$ and (interfaces!)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/15 13:32
S42	1613	709/220.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/16 09:11
S43	843	709/221.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/14 08:14
S44	191	S42 and S43	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/16 09:11
S45	27	S44 and socket	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/16 09:12
S46	27	S43 and (programmable adj logic)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/16 09:12
S49	30	S44 and socket	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 09:12
S50	27	S43 and (programmable adj logic)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 09:12
S51	0	S49 and S50	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 09:12
S52	10	S49 and logic	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 09:12

S53	5	S49 and logic and buffer	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 09:12
S54	31024	(programmable adj logic)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 09:13
S55	6009	(programmable adj logic) with (buffer memory)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 09:13
S58	12	(programmable adj logic) with (buffer memory) with socket	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 09:14
S59	1	"5918194".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 09:32
S60	28	(US-20020016706-\$ or US-20020129181-\$ or US-20020144045-\$ or US-20030028408-\$).did. or (US-4268908-\$ or US-4450557-\$ or US-4552426-\$ or US-5379382-\$ or US-5509123-\$ or US-5537295-\$ or US-5633934-\$ or US-5649224-\$ or US-5671355-\$ or US-5819042-\$ or US-5838907-\$ or US-6009274-\$ or US-6085317-\$ or US-6138183-\$ or US-6219785-\$ or US-6269467-\$ or US-6505338-\$ or US-6539510-\$ or US-6687710-\$ or US-6747689-\$ or US-6816938-\$ or US-5521833-\$ or US-5535368-\$ or US-5918194-\$). did.	US-PGPUB; USPAT	OR	ON	2005/03/16 13:42
S61	7	S60 and (hardware with config\$)	US-PGPUB; USPAT	OR	ON	2005/03/16 12:38

S62	48	("5970052" "5353243" "5625580" "6085317" "6219785" "6219785" "5848264" "6058263" "4308615" "5349686" "5596569" "6088740" "6138177" "6321320" "4349870" "5867676" "5471587" "6006303" "6105075" "5394526" "5371866" RE36229 "5483649" "6175490" "6212587" "6212587" "6343086" "5596715" "5887165" "5504905" "5862354" "4996598" "5959365" "5914953" "6141744" "4310879" "4443846" "4530047" "4625307" "4771286" "5214776" "5339408" "5465360" "5487154" "5513374" "5535417" "5555433" "5564027" "5574849" "5592685").pn.	US-PGPUB; USPAT	OR	ON	2005/03/16 12:59
S63	2880	processor same PLD	US-PGPUB; USPAT	OR	ON	2005/03/16 13:44
S64	0	S62 and S63	US-PGPUB; USPAT	OR	ON	2005/03/16 12:59
S65	2762	S63 and logic	US-PGPUB; USPAT	OR	ON	2005/03/16 12:59
S66	8449	(programmable adj logic) same processor	US-PGPUB; USPAT	OR	ON	2005/03/16 13:00
S67	3	(programmable adj logic) same ((additional another extra) adj processor)	US-PGPUB; USPAT	OR	ON	2005/03/16 13:01
S68	3	processor same ((additional another extra) adj (programmable adj logic))	US-PGPUB; USPAT	OR	ON	2005/04/12 08:09
S69	36	processor same ((additional another extra) with (programmable adj logic))	US-PGPUB; USPAT	OR	ON	2005/03/16 13:02
S70	1	"5535368".pn. and logic	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 13:07

S71	28	(US-20020016706-\$ or US-20020129181-\$ or US-20020144045-\$ or US-20030028408-\$).did. or (US-4268908-\$ or US-4450557-\$ or US-4552426-\$ or US-5379382-\$ or US-5509123-\$ or US-5537295-\$ or US-5633934-\$ or US-5649224-\$ or US-5671355-\$ or US-5819042-\$ or US-5838907-\$ or US-6009274-\$ or US-6085317-\$ or US-6138183-\$ or US-6219785-\$ or US-6269467-\$ or US-6505338-\$ or US-6539510-\$ or US-6687710-\$ or US-6747689-\$ or US-6816938-\$ or US-5521833-\$ or US-5535368-\$ or US-5918194-\$). did.	US-PGPUB; USPAT	OR	ON	2005/03/16 13:42
S72	3	S71 and encrypt\$	US-PGPUB; USPAT	OR	ON	2005/03/16 13:42
S73	3638	(programmable adj logic) same module	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 13:44
S74	17	(programmable adj logic) same module with encrypt\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 13:45
S75	14	(programmable adj logic) same module with encrypt\$ and (hardware with (config\$ reconfig\$))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 13:45
S76	31	(US-20020016706-\$ or US-20020129181-\$ or US-20020144045-\$ or US-20030028408-\$ or US-20020056143-\$).did. or (US-4268908-\$ or US-4450557-\$ or US-4552426-\$ or US-5379382-\$ or US-5509123-\$ or US-5537295-\$ or US-5633934-\$ or US-5649224-\$ or US-5671355-\$ or US-5819042-\$ or US-5838907-\$ or US-6009274-\$ or US-6085317-\$ or US-6138183-\$ or US-6219785-\$ or US-6269467-\$ or US-6505338-\$ or US-6539510-\$ or US-6687710-\$ or US-6747689-\$ or US-6816938-\$ or US-5521833-\$ or US-5535368-\$ or US-5918194-\$ or US-6151679-\$ or US-6457125-\$). did.	US-PGPUB; USPAT	OR	ON	2005/03/16 14:22
S77	7	S76 and PLD	US-PGPUB; USPAT	OR	ON	2005/03/16 14:18

S78	10	S76 and "printed circuit"	US-PGPUB; USPAT	OR	ON	2005/03/16 14:22
S79	31	(US-20020016706-\$ or US-20020129181-\$ or US-20020144045-\$ or US-20030028408-\$ or US-20020056143-\$).did. or (US-4268908-\$ or US-4450557-\$ or US-4552426-\$ or US-5379382-\$ or US-5509123-\$ or US-5537295-\$ or US-5633934-\$ or US-5649224-\$ or US-5671355-\$ or US-5819042-\$ or US-5838907-\$ or US-6009274-\$ or US-6085317-\$ or US-6138183-\$ or US-6219785-\$ or US-6269467-\$ or US-6505338-\$ or US-6539510-\$ or US-6687710-\$ or US-6747689-\$ or US-6816938-\$ or US-5521833-\$ or US-5535368-\$ or US-5918194-\$ or US-6151679-\$ or US-6457125-\$). did.	US-PGPUB; USPAT	OR	ON	2005/03/17 07:18
S80	31	(US-20020016706-\$ or US-20020056143-\$ or US-20020129181-\$ or US-20020144045-\$ or US-20030028408-\$).did. or (US-4268908-\$ or US-4450557-\$ or US-4552426-\$ or US-5379382-\$ or US-5509123-\$ or US-5521833-\$ or US-5535368-\$ or US-5537295-\$ or US-5633934-\$ or US-5649224-\$ or US-5671355-\$ or US-5819042-\$ or US-5838907-\$ or US-5918194-\$ or US-6009274-\$ or US-6085317-\$ or US-6138183-\$ or US-6151679-\$ or US-6219785-\$ or US-6269467-\$ or US-6457125-\$ or US-6505338-\$ or US-6539510-\$ or US-6687710-\$ or US-6747689-\$ or US-6816938-\$). did.	US-PGPUB; USPAT	OR	ON	2005/04/11 19:01
S81	7	S80 and PLD	US-PGPUB; USPAT	OR	ON	2005/04/11 19:01
S82	12	S80 and (programmable near3 logic)	US-PGPUB; USPAT	OR	ON	2005/04/11 19:02
S83	3	S80 and reprogram	US-PGPUB; USPAT	OR	ON	2005/04/11 19:02
S84	6	S80 and reprogram\$	US-PGPUB; USPAT	OR	ON	2005/04/12 08:07
S85	2	("5675645" "5784463").pn.	US-PGPUB; USPAT	OR	ON	2005/04/12 08:08



S86	6564	(first adj configuration) same (second adj configuration)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 08:10
S87	263	(first adj configuration) same (second adj configuration) same network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 08:10
S88	33	(first adj configuration) same (second adj configuration) same network same hardware	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 08:12
S89	314	reconfigur\$ with network with hardware	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 08:12
S90	82	reconfigur\$ with network with hardware same (programmable logic)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 08:13
S91	12	reconfigur\$ with network with hardware same (programmable with logic)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 08:13
S92	1642	709/220.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/12 08:35
S93	242	S92 and (reconfigur\$ same network)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/12 08:36
S94	37	S92 and (reconfigur\$ same network same hardware)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/12 08:36
S95	19	S92 and (reconfigur\$ same network with hardware)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/12 08:36
S97	5	S92 and (reconfigur\$ same network same hardware same download\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/12 08:37
S98	23	S92 and (configur\$ same network same hardware same download\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/12 08:37

S99	21	S98 not S97	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/12 08:37
S10 0	36	(US-20020013833-\$ or US-20020016706-\$ or US-20020056143-\$ or US-20020129181-\$ or US-20020144045-\$ or US-20030028408-\$).did. or (US-4268908-\$ or US-4450557-\$ or US-4552426-\$ or US-5379382-\$ or US-5509123-\$ or US-5521833-\$ or US-5535368-\$ or US-5537295-\$ or US-5633934-\$ or US-5649224-\$ or US-5655148-\$ or US-5671355-\$ or US-5819042-\$ or US-5838907-\$ or US-5918194-\$ or US-6009274-\$ or US-6085317-\$ or US-6094679-\$ or US-6096091-\$ or US-6138183-\$ or US-6151679-\$ or US-6219785-\$ or US-6269467-\$ or US-6457125-\$ or US-6505338-\$ or US-6539510-\$). did. or (US-6687710-\$ or US-6747689-\$ or US-6816938-\$ or US-6854009-\$).did.	US-PGPUB; USPAT	OR	ON	2005/04/13 10:58
S10 1	4	S100 and (provid\$ with configuration with information)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 14:19
S10 2	5	S100 and (provid\$ same configuration with information)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 14:19

S10 3	36	(US-20020013833-\$ or US-20020016706-\$ or US-20020056143-\$ or US-20020129181-\$ or US-20020144045-\$ or US-20030028408-\$).did. or (US-4268908-\$ or US-4450557-\$ or US-4552426-\$ or US-5379382-\$ or US-5509123-\$ or US-5521833-\$ or US-5535368-\$ or US-5537295-\$ or US-5633934-\$ or US-5649224-\$ or US-5655148-\$ or US-5671355-\$ or US-5819042-\$ or US-5838907-\$ or US-5918194-\$ or US-6009274-\$ or US-6085317-\$ or US-6094679-\$ or US-6096091-\$ or US-6138183-\$ or US-6151679-\$ or US-6219785-\$ or US-6269467-\$ or US-6457125-\$ or US-6505338-\$ or US-6539510-\$). did. or (US-6687710-\$ or US-6747689-\$ or US-6816938-\$ or US-6854009-\$).did.	US-PGPUB; USPAT	OR	ON	2005/04/13 10:58
S10 4	9	S103 and schedul\$	US-PGPUB; USPAT	OR	ON	2005/04/13 12:33
S10 5	12605	"3" and (schedul\$ same updat\$)	US-PGPUB; USPAT	OR	ON	2005/04/13 12:33
S10 6	36	(US-20020013833-\$ or US-20020016706-\$ or US-20020056143-\$ or US-20020129181-\$ or US-20020144045-\$ or US-20030028408-\$).did. or (US-4268908-\$ or US-4450557-\$ or US-4552426-\$ or US-5379382-\$ or US-5509123-\$ or US-5521833-\$ or US-5535368-\$ or US-5537295-\$ or US-5633934-\$ or US-5649224-\$ or US-5655148-\$ or US-5671355-\$ or US-5819042-\$ or US-5838907-\$ or US-5918194-\$ or US-6009274-\$ or US-6085317-\$ or US-6094679-\$ or US-6096091-\$ or US-6138183-\$ or US-6151679-\$ or US-6219785-\$ or US-6269467-\$ or US-6457125-\$ or US-6505338-\$ or US-6539510-\$). did. or (US-6687710-\$ or US-6747689-\$ or US-6816938-\$ or US-6854009-\$).did.	US-PGPUB; USPAT	OR	ON	2005/04/13 12:34
S10 7	1	S106 and (schedul\$ same updat\$)	US-PGPUB; USPAT	OR	ON	2005/04/13 12:34
S10 8	852	709/221.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/14 08:14

S10 9	253	709/221.ccls. and reconfig\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/14 08:14
S11 0	160	709/221.ccls. and reconfig\$ same network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/14 08:14